

VALIDATED DEVICES FOR BLOOD PRESSURE MEASUREMENT IN PREGNANCY / PREECLAMPSIA

List generated from www.stridebp.org on the 18 Jan 2020

Preferred devices: are upper-arm cuff devices with at least one STRIDE BP approved validation study published within the last 10 years. Preferred devices for home use should also allow automated storage of multiple readings, or mobile phone, PC or internet link connectivity enabling data transfer.

Validated devices: have passed established validation procedures that have been checked and approved by the STRIDE BP Scientific Advisory Board.

Devices for Office / Clinic blood pressure measurement

Preferred devices (1)

1 **XXDinamap** ProCare 400

Validated devices (1)

Welch Allyn Vital Signs

Devices for Home blood pressure monitoring

Preferred devices (13)

Andon iHealth Track

Microlife 3AS1-2

Microlife WatchBP Home

Microlife WatchBP Home A

Microlife WatchBP Home A BT

Microlife WatchBP Home S

Omron BP760N (HEM-7320-Z)

Omron Evolv (HEM-7600T-E)

Omron HEM-9210T

Omron M3 Comfort (HEM-7134-E)

Omron M6 Comfort (HEM-7321-E)

Omron M7 Intelli IT (HEM-7322T-E)

Omron MIT Elite

Validated devices (3)

Microlife BP 3BTO-A

Omron M7 (HEM-780-E)

Omron MIT

Devices for Ambulatory blood pressure monitoring

Preferred devices (1)

EXECUTIVE MANAGEMENT BOARD

G. Stergiou *Greece* *Chairman*
E. O'Brien *Ireland* *Co-Chairman*
M. Myers *Canada*
P. Palatini *Italy*
G. Parati *Italy*

ADVISORY BOARD

R. Asmar *France*
G. Bilo *Italy*
A. de la Sierra *Spain*
P. de Leeuw *Netherlands*
E. Dolan *Ireland*
G. Head *Australia*
Y. Imai *Japan*
N. Karpettas *Cyprus*
K. Kario *Japan*
A. Kollias *Greece*
E. Manios *Greece*
A. Mihailidou *Australia*
A. Murray *UK*
T. Ohkubo *Japan*
A. Shennan *UK*
J. Staessen *Belgium*
A. Schutte *S. Africa*
J. Wang *China*
M. Weber *USA*

PAR Medizintechnik & Co. PHYSIO-PORT UP

EXECUTIVE MANAGEMENT BOARD

G. Stergiou *Greece* *Chairman*
E. O'Brien *Ireland* *Co-Chairman*
M. Myers *Canada*
P. Palatini *Italy*
G. Parati *Italy*

ADVISORY BOARD

| | | | | | |
|-----------------|--------------------|---------------|------------------|-------------|------------------|
| R. Asmar | <i>France</i> | N. Karpettas | <i>Cyprus</i> | T. Ohkubo | <i>Japan</i> |
| G. Bilo | <i>Italy</i> | K. Kario | <i>Japan</i> | A. Shennan | <i>UK</i> |
| A. de la Sierra | <i>Spain</i> | A. Kollias | <i>Greece</i> | J. Staessen | <i>Belgium</i> |
| P. de Leeuw | <i>Netherlands</i> | E. Manios | <i>Greece</i> | A. Schutte | <i>S. Africa</i> |
| E. Dolan | <i>Ireland</i> | A. Mihailidou | <i>Australia</i> | J. Wang | <i>China</i> |
| G. Head | <i>Australia</i> | A. Murray | <i>UK</i> | M. Weber | <i>USA</i> |
| Y. Imai | <i>Japan</i> | | | | |